

Bio-Sociocultural Aspects of Menopause

Deepika¹ and Pradeep Kumar²

Abstract

The menopause transition is a bio-psycho-socio-cultural process. Attitudes and sociocultural perceptions provide the context within which women experience menopause. Psychological factors - including anxiety, stress, thoughts and beliefs and self-esteem - influence the experience of hot flushes. Cognitive behavioural model is described which is compatible with a bio-psycho-socio-cultural perspective. Relaxation and cognitive behavioural approaches appear to be acceptable to women, and there is some evidence for their efficacy.

Key words: Women, Menopause, Hot flushes, Socio-cultural.

Introduction: - Menopause is a Latin word where "Meno" signifies month and "pause" means to stop. As female develops old with spending years, she goes through various periods of life, from youth to adulthood, adulthood to middle age etc. The transition from a woman's fertile period to the period in which the ovaries begin to lose their function is achieved gradually. Her body continues changing at all levels; may it be anatomical, physiological, and hormonal with the long stretches of maturing. It is simply one more period of life like adolescence, in which ovaries quit creating eggs any more. Although it occurs between the ages of 45 and 55, is considered "natural" and is a normal part of aging. Menopause that occurs before the age of 45 is called early menopause. Menopause that occurs at 40 or younger is considered premature menopause. It is difficult to set down a definite age at which menopause will begin for every woman. This period generally commences in the fourth decade of life and varies from one woman to another. Community-based studies indicate that the distribution of menopausal age displays a bell curve that ranges from age 40, ending around the age of 54, generally clustering around the ages 45-55 (Yanikkerem et al 2012., Yangin et al 2010).

1. Gynecologist, Advanta super speciality hospital, Rohtak (former Senior Resident, Department of Obstetrics and Gynecology, PGIMS, Rohtak), Haryana.

2. Consultant, Psychiatric Social Work, State Institute of Mental Health, Pt. BDS, Post Graduate Institute of Medical Sciences, Rohtak, Haryana.

Corresponding Author

Dr Pradeep Kumar, Consultant, Psychiatric Social Work, State Institute of Mental Health, Pt. BDS, Post Graduate Institute of Medical Sciences, Rohtak, Haryana.

Email: pradeep.pgims@uhsr.nic.in

Received: 05.04.2023 Revised: 08.05.2023

Accepted: 06.05.2023 Published: 10.06.2023

Access this Article online

Website :

www.jpsw.co.in

<https://dx.doi.org/10.55242/JPSW.2023.4105>

Quick Response Code



How to cite: Deepika, P., Kumar, P., (2023). Bio-Sociocultural Aspects of Menopause. Journal of Psychosocial Wellbeing 4(1):29-38.

The average age of menopause has been reported as 54 in Europe, 51.4 in North America, 48.6 in Latin America and 51.1 in Asia (Palacios et al 2010). Enormous epidemiological studies have demonstrated that the years for the most part connected with regular menopause, that is 45–55, are not related with expanded mental dreariness or more usage of wellbeing administrations by ladies (Nicol-Smith, 1996).

It is neither a sickness, an ailment, pathology, nor a condition of being not well but rather an ordinary physiological phenomenon of maturing among females from progress of regenerative life to no greater capacity to imitate. This progress happens for certain adjustments in chemicals of female endocrine framework overwhelmingly estrogen prompting menopausal symptoms. (Kaplan & Sadock, 2015). Several ladies may be fortunate and stay asymptomatic, yet a larger part negatively affects their lives. The issues can be grouped at different levels: As ecological (both regular and man-made), local area, family, couple, lastly at the individual level, which might be additionally named physical or mental. The menopausal condition has been simple in men as andropause. For men, the climacterium has no unmistakable division; male chemicals stay genuinely steady through the 40s and 50s and afterward start to decrease. All ladies that live long must be encounter a natural decrease in ovarian capacity prompting conceptive senescence denoting the finish of their ripeness and limit with respect to proliferation. The genuine encounter of menopause for ladies is individual and like wellbeing is affected by a huge number of natural, social, financial and way of life factors [Parsons & Obermeyer 2007., Skrzypulec et al 2010].

Offering the most ideal exhortation and care for ladies during this time, requires a decent comprehension of the elements that assume a part in impacting the menopausal experience. Different individual elements of an individual female may influence her menopausal experience. For example: [I] Past experience of mind-set problems [II] Negative attitude to menopause and maturing: ladies with more negative perspectives toward the menopause

when all is said in done report more indications during the menopausal progress [III] Life occasions, character, and adapting. [IV] Self-regard: ladies with a low confidence used to have more serious menopausal protests.

Factors that impact menopausal experience: There are scopes of variables which have been distinguished from the literature adding to the variety in the menopausal experience. These incorporate biological and reproductive components, mental, social and cultural factors. Components theorized to assume a part in the experience of menopause (and personal satisfaction during this period) includes:

- (a) Socially impacted practices like eating regimen (Mei et al 200).
- (b) Smoking (Whiteman et al 2003) and work out (Dennerstein et al 1993).
- (c) Social perspectives towards and assumptions regarding the menopause. (Martin 1998 & Sievert 2003).
- (d) Implications doled out to menopause, for example, regardless of whether it is perceived as regular and ordinary, degenerate, or as a disease (Estok PJ and O'Toole 1991).
- (e) Past symptomatology and earlier ailment (Avis et al., 1997), (f) Past or flow conceptive wellbeing (Collins and Landgren, 1995).
- (g) Mother's insight of menopause (for example hot flushes) (Staropoli et al., 1998).
- (h) Perspectives toward childrearing and ladies' jobs (Sanchez Perruca et al., 1989).
- (i) Conjugal status (Avis et al., 2004).
- (J) Associations with spouses/accomplices and their mentalities toward indications of menopause (Robinson, 1996).
- (K) Social help (Berg and Taylor, 1999) and the more distant family (Rousseau and McCool, 1997).
- (L) Societal position, financial status (Avis et al., 2003).
- (M) Training (Dennerstein et al., 1993; Avis et al., 1997).
- (N) Vocation and strict convictions. For instance, numerous ladies may not look for clinical help since they accept that menopause, similar to pubescence, includes normal changes that are important for advancement and

maturing (Woods and Mitchell, 1999).

(O)With the help of sound ways of life, social help of loved ones, manifestations are frequently sensible and in this way clinical intercession may not be essential. (Hvas, 2001; Hvas et al., 2003).

Factors That Affect Menopause: Although there are many factors that influence the onset of menopause. There is no consensus as to whether these factors are definitive in all women. Studies show that the onset age of menopause is affected by the age at the first menstrual period, the use of oral contraceptives, the number of pregnancies experienced, Body Mass Index (BMI), smoking, drinking alcoholic beverages, physical activity, blood lead levels and other factors (Nagel, 2005., Sapre & Thakur, 2014). It is believed that in about 50% of women, genetic factors play a role in determining the age of onset of menopause (Canavez., 2011). Women whose mothers entered menopause at an early age are at a high risk of early onset menopause. (Özdemir et al 2004). It has been also observed that women who smoke, enter menopause at earlier ages than non-smokers (Hayatbakhsh et al 2012., Stepaniak et al 2013., Morris et al 2012). It has been seen that women who smoke 14 or more cigarettes a day enter menopause 2.8 years earlier than women who do not smoke (Kinney et al 2006). Women who do not drink alcoholic beverages have been found to enter menopause at earlier ages than women who do consume alcoholic drinks (Stepaniak et al 2013). While heavy physical activity is associated with early menopause (Sapre & Thakur, 2014), light physical activity delays menopause to later ages (Gold et al 2013). A high consumption of polyunsaturated fats accelerates the onset of menopause while a high consumption of total calories, fruits and protein delays it. A high BMI has been found to be associated with a higher menopause onset age (Pérez-Alcalá, 2013., Bjelland et al 2014). It has been found that women with hypertension and a low exposure to the sun throughout the life enter menopause at earlier ages (Aydın, 2005).

(a) Biological and Reproductive components: Ladies with a higher weight record frequently have an expanded rate of vasomotor side effect revealing (Ortega et al 2006),

although this has not been found in all examinations (Guthrie et al, 2005). Remarkably, ladies who have significant degrees of physical work have lower occurrence (Skrzypulec et al 2010). Way of life decisions (for example, smoking and liquor utilization) has likewise been connected with higher paces of hot flushes (Progetto Menopausa Italia Study Group, 2005). What's more, smoking diminishes the period of beginning of menopause by around three years (McKenna 2001) just as expanding the rate of manifestation detailing (Gold et al 2000). Regenerative factors likewise seem to impact both the beginning of menopause and the rate of menopausal manifestations. Those burning-through an eating routine containing undeniable degrees of phytoestrogens, normal in Asian nations, report diminished occurrence of hot flushes (Melby et al 2005). Women who are nulliparous or have low equality, have invested restricted or no energy breastfeeding and had low utilization of oral contraceptives, have detailed a previous beginning of menopause (Ortega-Ceballos et al 2006). Women of high equality, long length of breastfeeding and long span of oral prophylactic use have a lower frequency of menopausal side effect detailing (Obermeyer et al 2007).

(b) Psychological factors: Mentalities are most ordinarily impacted by female family members and companions (especially mothers) (Bertero 2003). Postmenopausal ladies will in general have a more uplifting outlook towards menopause than premenopausal ladies (Jassim GA & Al-Shboul, 2008). The most adverse perspectives towards menopause come from ladies who have gone through surgical menopause (Avis & McKinlay, 1991). Numerous ladies have impartial view of menopause and see it as a positive encounter. It offers alleviation from the concerns of monthly cycle, independence from the need of contraception, and expanded sexual freedom (Madden, 2010). Ladies who place a high need on fruitfulness are leaned to have more bad perspectives towards menopause (Melby et al 2005) and furthermore ladies who arrive at menopause prior to accomplishing the quantity of youngsters they want. This can happen in societies that esteem ladies as far as her

capacity to multiply (Castelo-Branco,2005).In correlation, Western social orders which don't really put a high significance on multiplication regularly place a high worth on energy. Thus, in these social orders the menopause signals age movement and loss of youth joined with loss of physical appeal and can prompt negative perspectives towards the progress (Hunter & Rendall,2007).

(c)**Socio-cultural factors:**Social factors and culture greatly affect menopausal indications, as couple of studies have demonstrated paces of burdensome manifestations and hot blazes or sweats were altogether lower among Japanese ladies than females of American and Canadian populace (Avis et al 1993) Such varieties across societies may reflect contrasts in (a) Beliefs and assumptions about menopause and maturing,(b) Status and jobs of ladies in a specific culture (c) Sensitivity to explicit side effects (d) Biology, diet, and wellbeing practices etc. In certain/specific societies discharging ladies are viewed as sullied. In this way their suspension can compare to an expanded status inside the local area (Bertero,2003). In Islamic and most African social orders postmenopausal ladies presently don't need to notice in the role of gender. The ladies of these social orders seem to have lower revealing of indications, potentially because of the positive job changes related with the menopausal progress (Beyene,1986).The social setting where a lady resides is essential to her comprehension of the menopausal progress. When taking a gander at various nations, varieties in manifestation announcing can be ascribed to language contrasts (socially molded assumptions regarding menopause, socially impacted gender and financial status) (Melby ,2005).Language used to impart a subject can show how a general public sees a theme. Menopause in the Western world it is a theme that is to a great extent medicalised with a significant part of the language being overwhelmed by regrettable symbolism, for example, "conceptive disappointment or ovarian disappointment" [Winterich,1999]. This infers that menopause is a sickness express that should be dealt with instead of a characteristic biological change. [Nusrat et al 2008, Buchanan et al 2002, Beyene ,1986,] In the Arab

world, the word comparing to the menopausal and midlife period signifies 'frantic age' (Jassim &Shboul,2008), suggesting a negative viewpoint towards menopause. Local American Indian ladies don't have an is single word for menopause (Madden et al 2010). Japanese have no identical word for the English expression 'hot flush' (Obermeyer 2007), which could demonstrate the general irrelevance of the manifestations or subject to day by day talk. (d)**Environment factors:** Environmental contamination because of the utilization of engineered synthetics and dangerous elements, which go about as endocrine disrupters, seriously influences post-reproductive wellbeing (particularly in females) by adjusting the age and time of menopause, (Bhatt,2007) like in Indian women (in North India) the absence of indoor latrines and poor hygiene lead to delayed urinary maintenance (which expands the odds of creating Stress Urinary Incontinence).(Reena,2007).

(e) **Lower financial status and lower instructive levels:** This is much more widespread in the Indian setting, particularly in Haryana. Other than these social issues, there are numerous social issues common among North Indian ladies. One of them is the Purdah or the "Ghoonghat" framework, which involves less openness of the body to characteristic light, consequently prompting diminished nutrient D creation. This further adds to the diminished bone mineral thickness and convolutes osteoporosis in postmenopausal ladies, terminally prompting an expanded danger of fractures. (Cauley,2012)

India and other countries: The average age of menopause in India is 47.5 years, just somewhat below the normal age of 51 for North American and European ladies (untimely menopause is on the ascent in India because of a mix of ecological and hereditary reasons). Indian ladies living in provincial zones (72% of the populace) and metropolitan regions both refer to having urogenital side effects and general body a throbbing painfulness. Curiously, ladies in metropolitan territories grumble more about having hot flushes, mood swings, mental issues, and intercourse challenges. Like their Western partners, metropolitan based Indian ladies are exposed to

additionally requesting and quick moving ways of life which may clarify the distinctions in signs and symptoms. Osteoporosis is a genuine danger for Indian ladies. Osteopenia, or low bone mineral thickness (BMD) normally implies a more prominent possibility of creating osteoporosis. Indian ladies will in general have low bone thickness because of an absence of both adequate calcium consumption and satisfactory exercise. Higher HDL/LDL cholesterol and fatty substance levels, expanded hypertension events, and obesity rates among menopausal Indian ladies. All things considered convert into expanded dangers for coronary episodes and strokes. Diabetes rates are additionally on the ascent for ladies in India. A tremendous degree of composing looking at social effects on menopausal experience has focused in on Japan (Zeserson, 2001, Dillaway, 2008, Anderson, 2004) consistently standing out from a Western country. This premium is fortified by the way that Japanese women are the most awesome in world, outliving women in the west by five years. They have a lower occasion of osteoporosis, chest malignancies, coronary sickness and regenerative tumours (Anderson & Yoshizawa, 2007). Menopause in Japan, or *konenki*, is thought to begin in the early 40's and last until around 60 years of age. Japanese are the absolute best individuals on the planet. What's more, research has reliably discovered that Japanese ladies don't encounter the very side effects of menopause that are so exceptionally revealed in Western societies. Until the mid 2000s, there wasn't so much as a term for "hot flushes" until the Japanese media, following different pieces of the world, begat the terms *hotto furasshu* (hot glimmer) and *horumon baransu* (chemical equilibrium) to depict indications of menopause. Different variables that may add to the commendable strength of Japanese ladies incorporate exercise, state funded schooling, admittance to medical care, attention to preventative health, hereditary qualities, and culture. It isn't hard to expect that these qualifications are solely a direct result of inherited parts. Regardless, migration studies have shown that when Japanese women move to the United States of America their inescapability of these issues augmentations to a practically identical

speed of Caucasian American women. This change of ailment inescapability proposes the meaning of social and normal components to the adequacy of women (Melby, 2005). Perhaps the greatest contrast that could affect how these ladies experience menopause is the perspectives encompassing this time throughout everyday life. A little report in 2003 (demonstrated that paying little mind to side effects) the mentalities of Mayan ladies around menopause were very unique in relation to US perspectives. These ladies anticipated the newly discovered opportunity and status that menopause brought. Would women be able to accept that? Rather than feeling outdated and pushed aside, these ladies feel more esteemed.

It has found that Turkish ladies tracked down the normal time of regular menopause were 52.9 years, like Western ladies. Muscle, joint or bone torment (82.3%) and hot flushes (73.9%) were the most familiar indications. These ladies talked a combination of both positive and negative reactions. The menopausal progress was adversely seen as "the finish of youth" by 90% of ladies. The consequences also showed that ladies see menopause as a significant weight and an issue which should be done as fast as conceivable. In spite of the fact, ladies saw the real discontinuance of period as a positive occasion because of independence from ladylike cleanliness items, contraception, pregnancy, and the "finish of messiness". These discoveries show that there are frequently clashing perspectives (with acknowledgment of both positive and negative angles to the progress) (Ayranci et al 2010). Local American Indians perceive the menopausal change as positive experience and post-menopausal ladies are considered 'ladies of intelligence' inside their networks (Madden et al 2010). In Canada, the normal period of menopausal beginning in non-Indigenous ladies is 51 years (Castelo-et al 2005). A writing audit of Canadian Aboriginal ladies' encounters of menopause showed that for this ethnic gathering the progress was seen as a positive encounter as it had little impact on their lives but to build social opportunity. While Aboriginal Canadian ladies had lower revealing of vasomotor manifestations, when

contrasted with non-Aboriginal Canadian, this didn't have all the earmarks of being exclusively natural but instead an interchange of culture and custom with science (Webster 2002). In Australian Indigenous culture, more seasoned ladies are conceded an expanded degree of respect, the impact of this on menopausal discernment is obscure. A study of Mayan ladies from Mexico, the normal period of menopause was 44.3 years (Melby et al 2005) without any members detailing any menopausal indications, and the main noted occasion being the end of menses. One speculation for this is that these ladies burn through the vast majority of their lives pregnant or breastfeeding, bringing about a consistent condition of low degrees of circling estrogen. In this way these ladies may not be as incredibly influenced by the estrogen withdrawal experienced at menopause (Beyene, 1986). The higher equality in Indigenous ladies contrasted with non-Indigenous Australian ladies might demonstrate low degrees of estrogens and less withdrawal manifestations experienced at menopause might happen moreover. Furthermore Mayan ladies additionally face exceptionally severe limitations while bleeding, with movement and food restrictions. In this manner, menopause permits more noteworthy opportunity and is decidedly expected by premenopausal ladies.

Advanced age is esteemed in contemporary Greek culture and menopause is viewed as a characteristic progress. However, oddly menopause isn't invited because of a relationship with developing old and being 'out' of standard of society. Despite the fact that menopause is related with the expulsion of various social restrictions, for instance postmenopausal ladies are permitted to completely take part in chapel exercises, it is as yet seen contrarily. Compare with these perspectives 73% of Greek ladies revealed hot flushes. So, whereas both Mayan Indian and Greek ladies experience the expulsion of feminine restrictions with menopause, their menopausal encounters are endlessly unique. This infers that a portion of the opportunities conceded by menopause are lacking to clarify contrasts in menopausal experience between societies. (Beyene, 1986).

The messages that ladies get about maturing is very unique across societies. These messages can have a major effect in how ladies experience menopause. Research distributed in the journal Menopause (2015) found that in spite of the fact that indications for some, ladies are comparative, including hot glimmers, weight acquire and vaginal dryness, the seriousness of the side effects changes relying upon ethnicity. In societies where age is loved, and more established ladies are believed to be smarter, indications were substantially less inconvenient. Yet, in societies like our own, where age is frequently seen as a disadvantage, those indications were additionally incapacitating. Where there is low education rate (In developing nations), it has been seen that females expect origination even after menopause, and this might be on the grounds that the achievement of lady was viewed as identified with creation of more kids, especially boys.

Management: Postmenopausal ladies need help constantly in managing their side effects. Better schooling programs, family bunch exercises, and social childhood can help tackle such issues. The consideration suppliers, particularly gynecologists, should be sharpened to instill better comprehension of good wellbeing rehearses and solid methodology among the individuals. This can be accomplished by social intellectual treatment, persuasive talking, and strengthening in a joint effort with the Ministry of Health, for the individuals from the family and the ladies themselves. Healthy life style is also important. It's fundamental to deal with her body through ordinary exercise, an eating regimen brimming with entire nourishments and solid fats, and discovering approaches to bring down her feelings of anxiety. In the event that individual does, her menopausal manifestations are substantially less prone to block her happiness regarding life. It's necessary to support hormonal balance to feel great. All women take a daily multivitamin to ensure they are getting all the nutrients in their body needs.

Conclusion: Menopause has for quite some time been viewed as a defining moment in ladies' lives in western societies. Despite the fact that menopause as a physiologic occasion stays consistent. Mentalities toward and

convictions about menopause change significantly generally and diversely. There are critical contrasts in patterns and prevalence of indications among nations and, curiously, in the kinds of side effect detailed in various ethnic gatherings inside nations. Changes in India are gradually occurring; its good sign and however it might require quite a few years, discussing and looking for help for menopause will assist with improving the lives of ladies in India.

REFERENCES:

Anderson D, Yoshizawa T, Gollschewski S, Atogami F, Courtney M.(2004). Menopause in Australia and Japan: effects of country of residence on menopausal status and menopausal symptoms. *Climacteric*. 7 (2),165-174. 10.1080/13697130410001713760.

Anderson D, Yoshizawa T.(2007).Cross-cultural comparison of health-related quality of life in Australian and Japanese midlife women: the Australian and Japanese midlife women's health study. *Menopause* (New York, NY). 14(4), 607-707.

Avis N, Kaufert PA, Lock M, McKinlay SM, Vass K. (1993).The evolution of menopausal symptoms.*Baillieres Clinical Endocrinology and Metabolism*.7,17-32.

Avis NE, Assmann SF, Kravitz HM, Ganz PA and Ory M (2004).Quality of life in diverse groups of midlife women: assessing the influence of menopause, health status and psychosocial and demographic factors. *Qual Life Res*. 13,pp. 933–946.

Avis NE, Crawford SL and McKinlay SM (1997) Psychosocial, behavioral, and health factors related to menopause symptomatology. *Womens Health* 3,pp 103–120.

Avis NE, Ory M, Matthews KA, Schocken M, Bromberger J., Colvin A (2003). Health-related quality of life in a multiethnic sample of middle-aged women: Study of

Women's Health Across the Nation (SWAN). *Med Care* 41,pp.1262–1276.

Aydın ZD, Erbaş B, Karakuş N, Aydın O, Özkan ŞK.(2005). Sun exposure and age at natural menopause: A cross-sectional study in Turkish women. *Maturitas*. 52,pp.235–48.

Ayranci U, Orsal O, Orsal O, Arslan G, Emeksiz DF.(2010).Menopause status and attitudes in aTurkish midlike female population: an epidemiological study. *BMC Womens Health*.10 (1),pp. 1-10.1186/1472-6874-10-1.

Berg JA and Taylor DL (1999) .Symptom responses of midlife Filipina Americans. *Menopause* 6,pp.115–121.

Bertero C.(2003). What do women think about menopause? A qualitative study of women's expectations, apprehensions and knowledge about the climacteric period. *Int Nurs Rev*. 50 (2),pp. 109-118.

Beyene Y.(1986). Cultural significance and physiological manifestations of menopause. A biocultural analysis. *Cult Med Psychiatry*. 10 (1),pp. 47-71.

Bhatt RV.(2000). Environmental influence on reproductive health. *Int J Gynaecol Obstet*;70,pp.69-75.

Bjelland EK, Wilkosz P, Tanbo TG, Eskild A.(2014). Is unilateral oophorectomy associated with age at menopause? A population study (the HUNT2 Survey). *Hum Reprod*. 29,pp835–41.

Buchanan MC, Villagran MM, Ragan SL.(2002). Women, menopause, and (Ms.)information: communication about the climacteric. *Health Commun*.14 (1),pp 99-119.

Canavez FS, Werneck GL, Parente RC, Celeste RK, Faerstein E. (2011).The association between educational level and age at the menopause: a systematic review. *Arch Gynecol Obstet*.283,pp.83–90.

- Castelo-Branco C, Palacios S, Mostajo D, Tobar C, von Helde S.(2005).Menopausal transition in Movima women, a Bolivian native-American. *Maturitas*. 51 (4),pp. 380-385.
- Cauley JA, Danielson ME, Greendale GA, Finkelstein JS,Chang YF, Lo JC, *et al.*(2012). Bone resorption and fracture across the menopausal transition: The study of women's health across the nation. *Menopause*.19,pp.1200-7.
- Collins A and Landgren BM (1995) .Reproductive health, use of estrogen and experience of symptoms in perimenopausal women: a population-based study. *Maturitas* 20, pp.101–111.
- Dennerstein L, Smith AM, Morse C, Burger H, Green A, Hopper J and Ryan M (1993). Menopausal symptoms in Australian women. *Med J Aust*15, pp.232–236.
- Dillaway H, Byrnes M, Miller S, Rehan S.(2008).Talking “Among Us”: How women from different Racial-Ethnic Groups Define and Discuss Menopause. *Health Care Women Int*. 29. Pp.766-781.
- Estok PJ and O'Toole R (1991) The meanings of menopause. *Health Care Women Int*. 12,pp. 27–39.
- Gold EB, Crawford SL, Avis NE, Crandall CJ, Matthews KA, Waetjen LE, *et al.*(2013). Factors related to age at natural menopause: longitudinal analyses from SWAN. *Am J Epidemiol*. 178,pp.70–83.
- Gold EB, Sternfeld B, Kelsey JL, Brown C, Mouton C, Raeme N, Salamone L, Stellato R.(2000). Relation of demographic and lifestyle factors to symptoms in a multi-racial/ethnic population of women 40–55 years of age. *Am J Epidemiol*.,152 ,(5),pp. 463-473.
- Guthrie J, Dennerstein L, Taffe JR, Lehert P, Burger H, Lehert: Hot flushes during the menopause transition: a longitudinal study in Australian-born women. *Menopause* (New York, NY). 2005, 12 (4),pp 460-467.
- Hayatbakhsh MR, Clavarino A, Williams GM, Sina M, Najman JM.(2012) .Cigarette smoking and age of menopause: A large prospective study. *Maturitas*.72,pp.346–52.
- Hunter M, Rendall M.(2007) .Bio-psycho-socio-cultural perspectives on menopause. *Baillieres Best Pract Res Clin Obstet Gynaecol*. 21 ,(2),pp. 261-274.
- Hvas L (2001) Positive aspects of menopause: a qualitative study. *Maturitas*. 39,pp. 11–17.
- Hvas L, Thorsen H and Sondergaard K (2003) Discussing menopause in general practice. *Maturitas*.46,pp. 139–146.
- Jassim GA, Al-Shboul Q.(2008). Attitudes of Bahraini women towards the menopause: implications for health care policy. *Maturitas*. 59 (4),pp. 358-372.
- Kinney A, Kline J, Levin B. Alcohol, caffeine and smoking in relation to age at menopause. *Maturitas*. 2006,54,pp27–38.
- Madden S, St Pierre-Hanse N, Kelly L, Cromarty H, Linkewich B, Payne L.(2010) .First nations women's knowledge of menopause: Experiences and perspectives. *Canadian Family Physician*. 56 (9),pp.331-337.
- Martin E 1988) Medical metaphors of women's bodies: menstruation and menopause. *Int J Health Serv*18, 237–254. Sievert LL (2003) .The medicalization of female fertility—points of significance for the study of menopause. *Coll Antropol*. 27,pp 67–78.
- McKenna EM.(2001). Masters Thesis - Masters of Medical Science. The Experience, Knowledge and Relevance of Menopause to Aboriginal and Caucasian Women in Far North Queensland., Cairns: The University of Queensland.

- Mei J, Yeung SS and Kung AW (2001) High dietary phytoestrogen intake is associated with higher bone mineral density in postmenopausal but not premenopausal women. *J Clin Endocrinol Metab* 86, pp.5217–5221.
- Melby M, Lock M, Kaufert P.(2005). Culture and symptom reporting at menopause. *Hum Reprod Update.*, 11 (5),pp 495-512. 10.1093/humupd/dmi018.
- Morris DH, Jones ME, Schoemaker MJ, McFadden E, Ashworth A, Swerdlow AJ.(2012). Body mass index, exercise, and other lifestyle factors in relation to age at natural menopause: analyses from the breakthrough generations study. *Am J Epidemiol.* 175,pp.998–1005.
- Nagel G, Altenburg HP, Nieters A, Boffetta P, Linseisen J.(2005). Reproductive and dietary determinants of the age at menopause in EPIC-Heidelberg. *Maturitas.* 52,pp.337–47.
- Nicol-Smith L.(1996). Causality, menopause, and depression: A critical review of the literature. *BMJ.* 313,pp.1229-1232.
- Nusrat N, Nishat Z, Gulfareen H, Aftab M, Asia N.(2008). Knowledge, attitude and experience of menopause. *J Ayub Med Coll Abbottabad.* 20 (1),pp. 56-59.
- Obermeyer CM, Reher D, Saliba M.(2007). Symptoms, menopause status, and country differences: a comparative analysis from DAMES. *Menopause (New York, NY).* 14 (4),pp. 788-797.
- Ortega-Ceballos. PA., Moran. C., Blanco-Munoz. J., Yunes-Diaz. E., Castaneda-Iniguez. MS., Salmeron J.(2006). Reproductive and lifestyle factors associated with early menopause in Mexican women. *Salud Publica Mex.* 48 (4),pp. 300-307.
- Özdemir O, Çöl M. (2004) The age at menopause and associated factors at the health center area in Ankara, Turkey. *Maturitas.*;4,pp.211–9.
- Palacios S, Henderson VW, Siseles N, Tan D, Villaseca P. (2010). Age of menopause and impact of climacteric symptoms by geographical region. *Climacteric.* 13,pp.419–28.
- Parsons MA, Obermeyer CM.(2007). Women's midlife health across cultures: DAMES comparative analysis. *Menopause (New York, NY).*, 14 (4),pp. 760-768.
- Pérez-Alcalá I, Sievert LL, Obermeyer CM, Reher DS. (2013) Cross cultural analysis of factors associated with age at natural menopause among Latin-American immigrants to Madrid and their Spanish neighbors. *Am J Hum Biol.* 25,pp.780–8.
- Progetto Menopausa Italia Study Group.(2005). Factors associated with climacteric symptoms in women around menopause attending menopause clinics in Italy. *Maturitas.*, 52 3(4),pp. 181-189.
- Reena .C., Kekre. AN., Kekre N.(2007). Occult stress incontinence in women with pelvic organ prolapse. *Int J Gynaecol Obstet*;97,pp.31-4.
- Robinson G(1996). Cross-cultural perspectives on menopause. *J Nerv Ment Dis.* 184,pp. 453–458.
- Rousseau ME and McCool WF (1997). The menopausal experience of African American women: overview and suggestions for research. *Health Care Women Int.* 18,pp.233–250.
- Sadock BJ, Sadock VA, Ruiz P. Kaplan & Sadock's .(2015). *Synopsis of Psychiatry; Behavioral Sciences/Clinical Psychiatry*, 11th ed. Philadelphia: Wolters Kluwer.
- Sanchez Perruca .L., Civeira Murillo. J., Martin. Del. Moral M., Abril. Garcia. A., Diez Diez A.(1989). Cambio social. Climaterio y depresión. *Arch Neurobiol.* 52,pp. 87–92.

- Sapre .S., Thakur R (2014). Lifestyle and dietary factors determine age at natural menopause. *J Midlife Health*. 5,pp.3–5
- Skrzypulec V, Dabrowska J, Drosdzol A.(2010) .The influence of physical activity level on climacteric symptoms in menopausal women. *Climacteric.*, 13 (4),pp. 355-361.
- Staropoli CA, Flaws JA, Bush TL and Moulton AW (1998) Predictors of menopausal hot flashes. *J Womens Health* 7, 1149–1155.
- Stepaniak U, Szafraniec K, Kubinova R, Malyutina S, Peasey A, Pikhart H (2013). Age at natural menopause in three central and eastern European urban populations: the HAPIEE study. *Maturitas*. 75,pp.87–93.
- Webster R (2002).Aboriginal women and menopause. *J Obstet Gynaecol Can.*, 24 (12),pp.938-940.
- Whiteman MK, Staropoli CA, Benedict JC, Borgeest C and Flaws JA (2003). Risk factors for hot flashes in midlife women. *J Womens Health (Larchmt)*12, pp.459–472.
- Winterich JA, Umberson D(1999). How women experience menopause: the importance of social context. *J Women Aging*. 11 (4),pp. 57-73.
- Woods NF and Mitchell ES (1999). Anticipating menopause: observations from the Seattle Midlife Women's Health Study. *Menopause*. 6,pp. 167–173.
- Yangın HB, Kukulu K, Sözer GA (2010). The perception of menopause among Turkish women. *J Women Aging*. ;22:290–305.
- Yanikkerem E, Koltan SO, Tamay AG, Dikayak Ş (2012). Relationship between women's attitude towards menopause and quality of life. *Climacteric*. 15,pp.552–62.
- Zeserson JM(2001). How Japanese women talk about hot flushes: implications for menopause research. *Medical Anthropology Quarterly*. 15 (2),pp. 189-205.