# Adverse childhood experiences, Automatic negative thoughts and Psychological well-being among emerging adults

Keerthi B. Raj<sup>1</sup>, Kalarani K.S<sup>2</sup>, Harikrishnan Alingal<sup>3\*</sup>

## **A**BSTRACT

Background: Adverse childhood experiences encompass stressful or traumatic events in early life, which may include emotional, physical, and/or sexual abuse, as well as emotional and/or physical neglect, and can stem from household dysfunction. Automatic thoughts are mental processes or visualizations that arise in response to triggers from actions or events. An automatic thought is an immediate and spontaneous thought that emerges as the initial response to a given situation. Psychological well-being pertains to an individual's overall emotional wellness, covering elements such as satisfaction with life, sense of purpose, and positive interpersonal connections. It indicates how individuals perceive the trajectory of their lives and their capacity to navigate life's obstacles. Aims: The current study explored the relation of adverse childhood experiences, automatic negative thoughts and psychological well-being among emerging adults. The study also evaluated whether adverse childhood experiences, automatic negative thoughts and psychological wellbeing changes with gender. Methods: The sample comprised of 163 young adults between the age of 18 and 25. A convenience sampling method was adopted. Data was procured by using the tools, adverse childhood experiences questionnaire, automatic thoughts questionnaire and psychological wellbeing scale and a demographic form. Statistical analysis was done using Spearman's rank order correlation analysis and Mann-Whitney U test. Results and conclusion: Significant correlation between the variables, ACE, ANT and PWB. It also evidenced that adverse childhood experience shows a significant difference with respect to gender.

Keywords: childhood experiences, Automatic thoughts, Psychological well-being, emotional wellness

#### ISSN: **2582-6891**

#### **INTRODUCTION**

Childhood experiences, especially the challenging ones, have a lasting impact on our adult lives, influencing the direction we take in profound ways. As we move into adulthood, these initial experiences can shape how we deal with difficulties, our ability to bounce back, and our overall perspective, either limiting us or giving us the strength to fulfill our potential. While the link between childhood and adulthood is not set in stone, recognizing this connection can help us break free from negative patterns, change how we see our past, and create a more positive future. The childhood experiences create a crucial base for the rest of our lives. The quality of these experiences is influenced by the way families, communities, and society treat children. The best well-being of a child is only possible in environments that are safe, supportive, and stable (Boynton-Jarrett, Ryan, Berkman & Wright, 2008).

Anda (2009) defined "Adverse Childhood Experiences (ACEs) as any stressful or traumatic experiences like abuse, neglect, and household dysfunction including a serious impact on child's health, well-being and development throughout life".

**Corresponding Author-** Harikrishnan Alingal, Assistant Professor, Department of Psychology, University College, Thiruvananthapuram 695 034

Email id- harikrishnan.a@universitycollege.ac.in

**How to cite:** K B. Raj, Kalarani K.S, Alingal H (2024). Adverse childhood experiences, Automatic negative thoughts and Psychological well-being among emerging adults. Journal of Psychosocial Wellbeing 5(1):24-28.

"Adverse Childhood Experiences be one or many in the form of emotional, physical and or sexual abuse, neglect being it physical and or emotional manifests as household dysfunction, stemming from substance misuse or mental illness amongst family members, violent treatment of mother, separation or divorce of parents, imprisonment of family member" (Qirjako, Burazeri, Sethi & Miho, 2013). Felitti et al., (1998) further

Journal of Psychosocial Wellbeing, Volume 5 Issue 1 (2024)

<sup>&</sup>lt;sup>1</sup>Assistant professor, Sree Sankara Vidyapeetom College, Nagaroor, Kilimanoor, Pin: 695601

<sup>&</sup>lt;sup>2</sup>Associate Professor, Department of Psychology, University College, Thiruvananthapuram 695 034

<sup>&</sup>lt;sup>3</sup>Assistant Professor, Department of Psychology, University College, Thiruvananthapuram 695 034

added by attributing events such as violence against children, encompassing any form of abuse, physical and/or emotional neglect, and adverse household situations (e.g., parental separation, domestic violence, substance abuse within the household, etc.), as the primary causes of ACEs. Corcoran and McNulty (2018), ACEs as "traumatic events or ongoing stressors are that which the child has little control upon."

Exposure to adverse childhood experiences (ACEs) is a widespread and enduring phenomenon found in all societies and cultures across various social strata (World Health Organization, 2014). For instance, in 2014, about 702,000 children under 18 years of age in the United States experienced abuse and neglect (Wildeman et al., 2014). The ground-breaking study, which is the largest of its kind on ACEs conducted by Felitti, Anda, et al. (1998) and Felitti (2002), examined the "long-term impacts of maltreatment and household dysfunction during childhood" on 17,421 participants throughout their lives, leading to startling revelations. The various forms of abuse were connected to the overall family environment and the health of the adults. Over 50% of the participants encountered at least one type of adverse childhood experiences (ACEs), and 25% disclosed experiencing more than two types of ACEs. Sexual abuse was associated with almost every other ACE. Additionally, being raised in an environment with ACEs raised the likelihood of experiencing various health behaviors and outcomes for subsequent generations (Dube, 2012).

ACE have been consistently linked to poor wellbeing (Oshio et al. 2013; Hughes et al. 2017; Mosley-Johnson et al. 2019) and both lifetime and recent depressive disorders (Chapman et al. 2004). According to the World Mental Health Survey, childhood adversity accounted for 29.8% of all mental health disorders worldwide (Kessler et al. 2010). In this study ernest effort is made to investigate the relationship between Adverse Childhood Experiences (traumatic events of childhood including violence, abuse, and growing up in a family with mental health or substance use problems), Automatic Negative Thoughts (spontaneous thoughts that can affect your mood and perceptions) and Psychological Wellbeing (state of mental health that is characterized by positive feelings and a lack of negative feelings) among young adults. And also to evaluate whether there is any significant differences in the relationship according to gender. This research aims to examine how these variables interact, whether presence of ACEs aggravate Psychological Wellbeing and increase the intensity of Automatic Negative Thoughts.

#### Method

The study adopted a quantitative research design to investigate the role of automatic negative thoughts in relation to adverse childhood experiences and psychological well-being. Data were collected from 163 young adults (aged 18-25) using convenience sampling. Participants completed three sets of questionnaires along with an informed consent form: a Demographic Form, the Adverse Childhood Experiences Questionnaire (ACE-Q, Felitti et al., 1998), the Automatic Thoughts Questionnaire (ATQ-N, Hollon & Kendal, 1980), and the Psychological Well-Being Scale (Ryff & Keyes, 1995). The ACE-Q assessed instances of adverse experiences before the age of 18, while the ATQ-N measured the frequency of negative automatic thoughts. The Psychological Well-Being Scale evaluated six dimensions of well-being. All measures were administered following a clear explanation of the study's purpose and assurances of confidentiality. The Kolmogorov-Smirnov and Shapiro-Wilk tests were employed to assess the normality of the data distribution, revealing that the data were not normally distributed, necessitating the use of non-parametric statistical methods for further analysis. Spearman's rank-order correlation analysis was conducted to assess relationships between ACEs, automatic negative thoughts, and psychological well-being. The Mann-Whitney U test was utilized to compare differences in these variables between males and females.

#### **RESULT AND DISCUSSION**

The correlation analysis conducted on a sample of 163 young adults aged 18 to 25 yielded significant results concerning the relationships between Adverse Childhood Experiences (ACE), Automatic Negative Thoughts (ANT), and Psychological Well-Being (PWB). The results highlight several critical associations that merit discussion.

#### **Correlation Between ACE and ANT**

The correlation between ACE and ANT of 0.590 (p < 0.01), indicates a strong positive relationship. This suggests that individuals who experienced higher levels of ACE are more likely to exhibit higher levels of ANT. This finding is consistent with existing literature that links early adverse experiences to the development of negative cognitive patterns. Such negative thought processes can stem from internalized beliefs and attitudes formed during childhood, potentially leading to maladaptive thinking in adulthood. This highlights the importance of addressing automatic negative thoughts in therapeutic settings, especially for individuals with a history of ACE.

# **Correlation Between ACE and PWB**

The negative correlation of -0.572 (p < 0.01) between ACE and PWB indicates a significant inverse relationship; as ACE increases, psychological well-being decreases. This finding aligns with numerous studies suggesting that adverse childhood experiences can have long-lasting detrimental effects on psychological health. The implications of this

relationship are profound, as they underscore the need for early interventions and support systems for individuals who have faced such adversities. Enhancing psychological wellbeing in those affected by ACE is crucial for improving overall life satisfaction and mental health outcomes.

#### Correlation Between ANT and PWB

Similarly, the correlation between ANT and PWB was -0.603 (p < 0.01), which reveals a strong negative association. Higher levels of automatic negative thoughts correlate with lower levels of psychological well-being. This result highlights the detrimental impact of negative thinking patterns on mental health, as individuals who engage in ANT may struggle to achieve a positive state of well-being. The findings suggest that addressing and modifying these negative thought patterns through cognitive-behavioral interventions may be effective in enhancing psychological well-being.

The results of the Mann-Whitney U test reveal significant differences in Automatic Negative Thoughts (ANT) between individuals with and without Adverse Childhood Experiences (ACE). Participants without ACE had a mean ANT score of 61.82, while those with ACE reported a significantly higher mean score of 111.66. This stark contrast suggests that ACE contributes to a pervasive negative cognitive style in adulthood, as evidenced by a sum of ranks of 5996.50 for participants without ACE compared to 7369.50 for those with ACE. The Wilcoxon W value of 5996.50 and the Z value of -6.619 further support these findings, with a p-value of .000, indicating a highly significant difference. These results underscore the importance of considering childhood experiences when assessing mental health outcomes, as individuals with ACE demonstrate more frequent and intense negative automatic thoughts.

The results of the statistical analysis indicate a significant difference in Psychological Well-Being (PWB) between participants with and without Adverse Childhood Experiences (ACE). Participants without ACE had a mean PWB score of 106.09, reflecting a generally high level of well-being, while those with ACE had a mean score of only 46.60, indicating substantial deficits in their psychological health. The sum of ranks for participants without ACE was 10,290.50, compared to 3,075.50 for those with ACE. The Wilcoxon W statistic of 3,075.50 and the Z value of -7.903 further support the conclusion of a strong statistical difference between the two groups, with a p-value of .000 indicating that these results are statistically significant. This stark contrast emphasizes the detrimental effects of adverse experiences on individuals' mental health and underscores the urgent need for targeted interventions for those with a history of ACE.

The analysis reveals notable gender differences in Adverse Childhood Experiences (ACE) and Psychological Well-Being (PWB) among participants, with males scoring significantly higher on ACE (mean rank = 95.78) compared to females (mean rank = 70.26), as indicated by a z-value of -3.504 and a p-value of .000, confirming the statistical significance of this difference. This suggests that males in this sample may report more frequent or severe adverse experiences during childhood, potentially due to various factors, including gender differences in trauma reporting, cultural norms around masculinity influencing perceptions of childhood experiences, or actual differences in prevalence. Males exhibit a higher mean rank for Automatic Negative Thoughts (ANT) (89.79) compared to females (75.36), the difference is not statistically significant (z-value = -1.945, p-value = .052). This near-threshold p-value suggests potential gender differences in cognitive processing, as males may be more prone to cognitive distortions like catastrophizing or overgeneralization due to socialization that discourages emotional expression, which may increase their risk of developing conditions like depression or anxiety. Furthermore, females report significantly higher PWB (mean rank = 89.51) than males (mean rank = 73.19), with a z-value of -2.200 and a p-value of .028, indicating a real difference in psychological well-being that may reflect broader gender disparities in mental health, coping strategies, or social support.

#### **CONCLUSION**

There exists a significant positive correlation between adverse childhood experiences and automatic negative thoughts, where a significant negative correlation exists between adverse childhood experiences and psychological well being, and for automatic negative thoughts and psychological wellbeing. The results from Mann-Whitney U test indicated that adverse childhood experience shows a significant difference with respect to gender. Automatic negative thoughts doesn't showcased any significant difference with respect to gender, while ANT showed significant difference between ACE and Non-ACE participants. Psychological wellbeing shows significant difference with respect to ACE and Non-ACE participants, and gender.

## REFERENCES

Aafjes-van Doorn, K., Kamsteeg, C., & Silberschatz, G. (2020). Cognitive mediators of therelationship between adverse childhood experiences and adult psychopathology: A systematic review. Development and Psychopathology, 32(3), 1017–1029. https://doi.org/10.1017/S0954579419001317

Abrahams, N., & Casey, K. (2007). Teachers, knowledge, attitudes, and beliefs about child abuse. Child Abuse and Neglect, 16(2), 221-231.

Afifi, T. O., Mota, N. P., Dasiewicz, P., MacMillian, H. L., & Sareen, J. (2012). Physical punishment and mental disorders: Results from a nationally representative US sample. Pediatrics, 130(2), 184-192. https://doi.org/10.1542/peds.2011-2947

Journal of Psychosocial Wellbeing, Volume 5 Issue 1 (2024)

Alemany, S., Arias, B., Aguilera, M., Villa, H., Moya, J., Ibanez, M. I., ... & Fananas, L. (2011). Childhood abuse, the BDNF-Val66Met polymorphism, and adult psychotic-like experiences. British Journal of Psychiatry, 199, 3842. https://doi.org/10.1192/bjp.bp.110.083808

Alexander, P. C. (1992). Application of attachment theory to the study of sexual abuse. Journal of Consulting and Clinical Psychology, 60(2), 185-195. https://doi.org/10.1037/0022-006X.60.2.185

Anda, R. (2009). The health and social impact of growing up with adverse childhood experiences: The human and economic costs of the status quo. Retrieved from http://goo.gl/8c71ZV

Anda, R. F., Croft, J. B., Felitti, V. J., Nordenberg, D., Giles, W. H., Williamsin, D. F., & Giovino, G. A. (1999). Adverse childhood experiences and smoking during adolescence and adulthood. Journal of American Medical Association, 282, 1652–1658.

Austin, A. E., & Herrick, H. W. B. (2014). The effect of adverse childhood experiences on adult health: 2012 North Carolina behavioral risk factor surveillance system survey. SCHS Studies, No. 167. Available from www.schs.state.nc.us/schs/pdf/SCHS\_Study 169 FIN 20140826.pdf

Baglivio, M. T., Wolff, K. T., Epps, N., & Nelson, R. (2015). Predicting adverse childhood experiences: The importance of neighbourhood context in youth trauma among delinquent youth. Crime & Delinquency. Advance online publication. https://doi.org/10.1177/0011128715570628

Balachandran, M. (2001). Psychology for nursing students. Thiruvananthapuram: Manas Publishers.

Barth, R. S. (1990). Improving schools from within: Teachers, parents, and principals can make the difference. San Francisco: Jossey-Bass.

Battle, C. L., Shea, T. M., Johnson, D. M., Yen, S., Zlotnick, C., Zanarini, M. C., ... & Morey, L. C. (2004). Childhood maltreatment associated with adult personality disorders: Findings from the collaborative longitudinal personality disorders study. Journal of Personality Disorders, 18(2), 193-211. https://doi.org/10.1521/pedi.18.2.193.32777

Beardslee, W. R., Chien, P. L., & Bell, C. C. (2011). Prevention of mental disorders, substance abuse, and problem behaviors: A developmental perspective. Psychiatric Services, 62(3), 247-254.

Beshai, S., Bueno, C., & Salimuddin, S. (2023). Effects of a self-guided online mindfulness and self-compassion program (Mind-OP) in reducing negative automatic thoughts about self: Randomized active controlled trial. Mindfulness, 15(2), 259–271. https://doi.org/10.1007/s12671-023-02261-x

Brems, C., Johnson, M. E., Neal, D., & Freemon, M. (2004). Childhood abuse history and substance use among men and women receiving detoxification services. American Journal of Drug and Alcohol Abuse, 30, 799–821.

Chan, Y.-C., & Yeung, J. W. K. (2009). Children living with violence within the family and its sequel: A meta-analysis from 1995–2006. Aggression and Violent Behavior, 14, 313–322.

Chapman, D. P., Wheaton, A. G., Anda, R. F., Croft, J. B., Edwards, V. J., Liu, Y., ... & Perry, G. S. (2011). Adverse childhood experiences

and sleep disturbances in adults. Sleep Medicine, 12(8), 773-779.

Chapman, D. P., Whitfield, C. L., Felitti, V. J., Dube, S. R., Edwards, V. J., & Anda, R. F. (2004). Adverse childhood experiences and risk of depressive disorders in adulthood. Journal of Affective Disorders, 82(2), 217-225.

Chartier, M. J., Walker, J. R., & Naimark, B. (2010). Separate and cumulative effects of adverse childhood experiences in predicting adult health and health Care utilization. Child Abuse and Neglect, 34(6), 454-464. https://doi.org/10.1016/j.chiabu.2009.09.02

Ding, W.-E., Tan, K.-A., Fam, J.-Y., Mukhtar, F., Lye, M.-S., Awang, H., & Munawar, K. (2021). Psychometric evaluation of the Malay version of the Multidimensional Beck Youth Inventories-2 (BYI-2 Malay): Measuring selfconcept, anxiety, depression, anger, and disruptive behaviour among adolescents in sheltered homes. Pertanika Journal of Social Sciences and Humanities, 29(1), 1–15. https://doi.org/10.47836/pjssh.29.1.15

Dong, K., & Zhao, G. (2022). Depressive symptomatology and different dimensions of social support serially mediate the effect of negative automatic thoughts on suicidal ideation. Current Psychology, 42(21), 17715–17723. https://doi.org/10.1007/s12144-022-02974-7

Marian, Ş., & Sava, F. A. (2023). Identifying central negative thoughts using experience sampling and network analysis. Cognitive Therapy and Research, 47(5), 707–719. https://doi.org/10.1007/s10608-023-10400-w

Ritkumrop, K., Surakarn, A., & Ekpanyaskul, C. (2021). The effectiveness of a self-compassion intervention for reducing negative automatic thoughts and enhancing resilience in adolescents. Journal of Adolescence, 90, 78-89. https://doi.org/10.1016/j. adolescence.2021.01.005

Sease, T. B., John, D. A., Perkins, D. R., & Sandoz, E. K. (2023). Psychological inflexibility as a moderator of the relationship between adverse childhood experiences and negative automatic thoughts. Journal of Family Trauma, Child Custody & Child Development, 20(4), 528–544. https://doi.org/10.1080/26904586. 2023.2189203

Shen, Y., Chen, D., Ying, J., Wang, C., & You, J. (2023). The association between negative automatic thoughts and suicidal ideation: A longitudinal serial mediation model. Current Psychology, 43(11), 9909–9919. https://doi.org/10.1007/s12144-023-05133-8

Shum, C., Dockray, S., & McMahon, J. (2024). The relationship between cognitive reappraisal and psychological well-being during early adolescence: A scoping review. The Journal of Early Adolescence. https://doi.org/10.1177/02724316241231918

Smith, C. P., Johnson, E., & Ward, M. (2021). The role of childhood trauma in the development of maladaptive schemas in adult survivors: A meta-analysis. Journal of Trauma & Dissociation, 22(1), 56–70. https://doi.org/10.1080/15299732.2020.1811536

Thill, J. C., & Menon, V. (2020). Automatic thoughts and cognitive distortions in the context of interpersonal trauma. Traumatology, 26(3), 292–302. https://doi.org/10.1037/trm0000279

Xie, Y., & Luo, M. (2020). Childhood abuse and its impact on adult

attachment and automatic thoughts: A longitudinal study. Journal of Child and Family Studies, 29(9), 2540-2550. https://doi.org/10.1007/s10826-020-01779-w

Xu, Y., Liu, Y., Yu, Y., & Zhou, X. (2020). The role of automatic thoughts in the relationship between early life stress and adult depression. Journal of Affective Disorders, 273, 402-411. https://doi.org/10.1016/j.jad.2020.04.067

Yeo, D., Lee, S., Choi, H., Park, M.-H., & Park, B. (2024). Emotional

abuse mediated by negative automatic thoughts impacts functional connectivity during adolescence. Neurobiology of Stress, 30, 100623. https://doi.org/10.1016/j.ynstr.2024.100623

Zheng, X., Chen, L., Zhou, X., Wang, J., & Li, X. (2024). Relationship between stressful life events and online deviant behaviors among college students: A moderated mediation model. The Journal of Psychology. Advance online publication. https://doi.org/10.1080/00223980.2024.2353356